



## **DWATCH**

### **Sting Ray specifications:**

#### **Case:**

Stainless steel 316L Cushion type case  
Diameter 46.5 mm without crown  
Height 16.9 mm  
Lugs 24mm spring bars  
Triple lock Screw down crown  
Case finish: Polished, Bead Blasted, Brushed, P.V.D  
Water Resistant 1000m tested  
Helium Release Valve

#### **Size & weight:**

52mm lug to lug  
Weight: 151gr case only  
Dial width: 32mm

#### **Movement:**

ETA 2824-2, self-winding mechanism, Swiss made, Stop second device,  
42 hours of power reserve, 28800 vibration per hour, 25 jewels.  
Calibrated by our Swiss watch maker.

#### **Assembly:**

Each DWATCH is individually hand made and hand handled by one of our  
Swiss watch makers, to the exact specifications of our client.  
Our watches are assembled individually and manually, each watch is  
assembly and tested separately.

#### **Crystal:**

Domed Sapphire crystal 4 mm  
Anti-reflective double coated scratch resistant

**Functions:**

Hour, minutes, seconds, quickset date.

**Bezel:**

All Stainless Steel curved bezel unidirectional

**Hands & Dial:**

Applied with superluminova for high visibility  
Superluminova type C3

**Presentation:**

High quality white lacquered wooden box  
Operating instruction & warranty installed on 1GB USB retractable flash drive

**Warranty:**

1 Year limited warranty.

Technical Drawing:

